







Gelenkfuss, Kunststoffteller

Adjustable knuckle feet, poly.-fibreglas foot pad

Pied-de-biche, embase poly./fibre de verre

Piedi regolabili in plastica

Pies articulados, base polyamida/f. de vidrio



Gelenkfuss, Kunststoffteller

Adjustable knuckle feet, poly.-fibreglas foot pad

Pied-de biche, embase poly./fibre de verre

Piedi regolabili in plastica

Pies articulados, base polyamida/f. de vidrio

Ø 50 - M 16 x 60

8950

Ø 50 - M 16 x 110

8951

Gelenkfuss, Kunststoffteller

Adjustable knuckle feet, poly.-fibreglas foot pad

Pied-de biche, embase poly./fibre de verre

Piedi regolabili in plastica

Pies articulados, base polyamida/f. de vidrio

Ø 90 - M 16 x 60

8952

Ø 90 - M 16 x 110




8953

Teller: Kunststoff GF
Foot pad: poly.-fibreglas
Embase: poly./fibre de verre
Base: poliamide/f. di vetro
Base: polyamida/f. de vidrio

Spindel: Stahl verzinkt
Spindle: galvanized steel
Fuseau: acier zingué
Fuso: acciaio zincato
huso: acero cincado




Gelenkfuss, Stahlteller
Adjustable knuckle feet, foot pad steel
Pied-de-biche, embase acier
Piedi regolabili, base acciaio
Pies articulados, base acero



Gelenkfuss, Stahlteller
 Adjustable knuckle feet, foot pad steel
 Pied-de biche, embase acier
 Piedi regolabili, base acciaio
 Pies articulados, base acero

Ø 45 - M 16 x 60	8998
Ø 45 - M 16 x 110	8999



Gelenkfuss, Stahlteller
 Adjustable knuckle feet, foot pad steel
 Pied-de biche, embase acier
 Piedi regolabili, base acciaio
 Pies articulados, base acero

Ø 90 - M 16 x 60	8954
Ø 90 - M 16 x 110	8955

Stahl verzinkt / galvanized steel / acier zingué
 acciaio zincato / acero cincado





Gewindehülse, Gewindeeinsatz

Mounting sleeve, selftapping socket

Douille tarandie, Insert

Bussola filettata, boccola con filettatura autofilettente

Encaje, rosca Casquillo con rosca autoformante




Gewindehülse
Mounting sleeve
Douille tarandie
Bussola filettata
Encaje, rosca

M 10

8958

M 16

8957



Gewindeeinsatz
Self-tapping socket
Insert
Boccola con filettatura autofilettente
Casquillo con rosca autoformante

M 6

8990

M 8

8959

M 10

8960

Stahl verzinkt / galvanized steel / acier zingué
acciaio zincato / acero cincado